

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	148	(Carlos near2 Gonzalez).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:06
L2	40	(Kevin near2 Conley).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:06
L3	14	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:07
L4	85642	Flash adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:07
L5	394783	EEPROM or EPROM or ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:07
L6	2461	wear near2 level\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:07
L7	3031	address near2 boundar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:09
L8	26035	address near2 assign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:08
L9	1791	address near2 zone\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:08
L10	458	map\$4 near (logical adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:09

L11	2	(address near2 boundar\$4) same reassign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:10
L12	427403	4 or 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:10
L13	125	6 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11
L14	1	7 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11
L15	3	13 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11
L16	69146	"365"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11
L17	26845	"711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11
L18	93856	16 or 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11
L19	61	18 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/06 19:11



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+EEPROM, +flash, +wear +level, +address +mapping, +bound



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**EEPROM flash wear level address mapping boundary zone reassignment**

Found 1 of 166,357

Sort results  
by

relevance ☒



[Save results to a Binder](#)

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Display  
results

expanded form ☒



[Search Tips](#)

☐ Open results in a new  
window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☒

1 **A kernel-based learning approach to ad hoc sensor network localization**



Xuanlong Nguyen, Michael I. Jordan, Bruno Sinopoli

August 2005 **ACM Transactions on Sensor Networks (TOSN)**, Volume 1 Issue 1

**Publisher:** ACM Press

Full text available: pdf(743.41 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We show that the coarse-grained and fine-grained localization problems for ad hoc sensor networks can be posed and solved as a pattern recognition problem using kernel methods from statistical learning theory. This stems from an observation that the kernel function, which is a similarity measure critical to the effectiveness of a kernel-based learning algorithm, can be naturally defined in terms of the matrix of signal strengths received by the sensors. Thus we work in the natural coordinate sys ...

**Keywords:** Ad hoc wireless sensor networks, kernel methods, localization, position estimation, statistical machine learning

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**EEPROM flash wear level boundary zone reassignment**

Found 4 of 166,357

Sort results by

 ☒

[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

 ☒

[Search Tips](#)
☐ Open results in a new window

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Embedded systems: applications, solutions and techniques \(EMBS\): A fast start-up technique for flash memory based computing systems](#)



Keun Soo Yim, Jihong Kim, Kern Koh

March 2005 **Proceedings of the 2005 ACM symposium on Applied computing**

Publisher: ACM Press

Full text available: pdf(324.29 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Flash memory based embedded computing systems are becoming increasingly prevalent. These systems typically have to provide an instant start-up time. However, we observe that mounting a file system for flash memory takes 1 to 25 seconds mainly depending on the flash capacity. Since the flash chip capacity is doubled in every year, this mounting time will soon become the most dominant reason of the delay of system start-up time. Therefore, in this paper, we present instant mounting techniques for ...

**Keywords:** fast booting, fast mounting, flash memory, metadata snapshot

### 2 [System architecture directions for networked sensors](#)



Jason Hill, Robert Szewczyk, Alec Woo, Seth Hollar, David Culler, Kristofer Pister

November 2000 **ACM SIGOPS Operating Systems Review , ACM SIGARCH Computer Architecture News , Proceedings of the ninth international conference on Architectural support for programming languages and operating systems ASPLOS-IX**, Volume 34 , 28 Issue 5 , 5

Publisher: ACM Press

Full text available: pdf(299.01 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Technological progress in integrated, low-power, CMOS communication devices and sensors makes a rich design space of networked sensors viable. They can be deeply embedded in the physical world and spread throughout our environment like smart dust. The missing elements are an overall system architecture and a methodology for systematic advance. To this end, we identify key requirements, develop a small device that is representative of the class, design a tiny event-driven operating system, and sh ...

### 3 [System architecture directions for networked sensors](#)



Jason Hill, Robert Szewczyk, Alec Woo, Seth Hollar, David Culler, Kristofer Pister

November 2000 **ACM SIGPLAN Notices**, Volume 35 Issue 11

**Publisher:** ACM Press

Full text available:  pdf(1.32 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Technological progress in integrated, low-power, CMOS communication devices and sensors makes a rich design space of networked sensors viable. They can be deeply embedded in the physical world and spread throughout our environment like smart dust. The missing elements are an overall system architecture and a methodology for systematic advance. To this end, we identify key requirements, develop a small device that is representative of the class, design a tiny event-driven operating system, and sh ...

#### 4 [A kernel-based learning approach to ad hoc sensor network localization](#)



Xuanlong Nguyen, Michael I. Jordan, Bruno Sinopoli

August 2005 **ACM Transactions on Sensor Networks (TOSN)**, Volume 1 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(743.41 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We show that the coarse-grained and fine-grained localization problems for ad hoc sensor networks can be posed and solved as a pattern recognition problem using kernel methods from statistical learning theory. This stems from an observation that the kernel function, which is a similarity measure critical to the effectiveness of a kernel-based learning algorithm, can be naturally defined in terms of the matrix of signal strengths received by the sensors. Thus we work in the natural coordinate sys ...

**Keywords:** Ad hoc wireless sensor networks, kernel methods, localization, position estimation, statistical machine learning

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)

 [QuickTime](#)

 [Windows Media Player](#)

 [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Sun, 6 Nov 2005, 7:21:03 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1      ( ( eeprom<in>metadata ) <and> ( wear level<in>metadata ) )<and> ( reassignment<in>metadata )
- #2      ( ( eeprom<in>metadata ) <and> ( wear<in>metadata ) )<and> ( address reassignment<in>metadata )
- #3      ( ( flash<in>metadata ) <and> ( wear level<in>metadata ) )<and> ( address boundary<in>metadata )

Indexed by  
 Inspec

[Help](#)   [Contact Us](#)   [Privacy](#)

© Copyright 2005 IE